

**UTILITY PATENT APPLICATION TRANSMITTAL UNDER 37 C.F.R. §1.53(b)**

ASSISTANT COMMISSIONER FOR PATENTS  
 Box PATENT APPLICATION jc639 U.S. PTO  
 Washington D.C. 20231

Case Docket No.: P-082

Sir:

Transmitted herewith for filing is the patent application of

INVENTOR OR APPLICATION IDENTIFIER: Hyeon Jun KIM, Sung Bae JUN and Jin Soo LEE

FOR: MULTILEVEL IMAGE GRID DATA STRUCTURE AND IMAGE SEARCH METHOD USING THE SAME

Enclosed are:

- |  |   |
|--|---|
| 1. <input checked="" type="checkbox"/> 16 pages of specification, claims, abstract                           | 7. <input checked="" type="checkbox"/> Assignment Papers for <u>LG Electronics Inc.</u><br>(cover sheet, assignment & assignment fee).  |
| 2. <input checked="" type="checkbox"/> 5 sheets of FORMAL drawing.   | 8. <input checked="" type="checkbox"/> Certified copy of <u>Korean Patent Application No. 3184/1999</u> filed <u>February 1, 1999</u> . |
| 3. <input checked="" type="checkbox"/> 2 pages of newly executed Declaration & Power of Attorney (original). | 9. <input checked="" type="checkbox"/> Two (2) return postcards.  |
| 4. <input checked="" type="checkbox"/> Priority Claimed.   | <input checked="" type="checkbox"/> Stamp & Return with Courier.  |
| 5. <input type="checkbox"/> Small Entity Statement.  | <input checked="" type="checkbox"/> Prepaid Postcard-Stamped Filing Date & Returned with Unofficial Serial Number.                      |
| 6. <input type="checkbox"/> Information Disclosure Statement, Form PTO-1449 and reference.                   |   |
| 10. <input checked="" type="checkbox"/> Authorization under 37 C.F.R. §1.136(a)(3).                          |   |
| 11. <input type="checkbox"/> Other:  |   |

jc662 U.S. PTO  
 09/494761  
 01/31/00

CLAIMS AS FILED					
For	No. Filed		No. Extra	Rate	Fee
Total Claims	13	- 20	0	X \$18.00	\$0.00
Indep. Claims	2	- 3	0	X \$78.00	\$0.00
Multiple Dependent Claims (If applicable)				X \$260.00	\$0.00
				BASIC FEE	\$690.00
				TOTAL FILING FEE	\$690.00

☐ This is a Continuation-in-part (CIP) of prior application No: \_\_\_\_\_ filed \_\_\_\_\_. Incorporation By Reference-The entire disclosure of the prior application is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

☐ Amend the specification by inserting before the first line the sentence:

-This application is a continuation-in-part of Application Serial No. \_\_\_\_\_ filed \_\_\_\_\_.--

☒ A check in the amount of \$690.00 (Check #8281) is attached.

☐ Please charge my Deposit Account No. 16-0607 in the amount of \$\_\_\_\_. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 16-0607. A duplicate copy is enclosed.

☒ Any additional filing fees required under 37 C.F.R. 1.16.

☒ The Commissioner is hereby authorized to charge payment of following fees during the pendency of this application or credit any overpayment to Deposit Account No. 16-0607. A duplicate copy of this sheet is enclosed.

☒ Any patent application processing fees under 37 C.F.R. 1.17.

☒ Any filing fees under 37 C.F.R. 1.16 for presentation of extra claims.

FLESHNER & KIM

Daniel Y.J. Kim  
 Registration No. 36,186

Correspondence Address Below:

P.O. Box 221200  
 Chantilly, VA 20153-1200  
 (703) 502-9440

Date: January 31, 2000

# MULTILEVEL IMAGE GRID DATA STRUCTURE AND IMAGE SEARCH METHOD USING THE SAME

## BACKGROUND OF THE INVENTION

5

### 1. Field of the Invention

The present invention relates to an image grid data structure and an image search method using the same, and in particular to a multilevel image grid data structure having a structure of different hierarchical grid levels with respect to one color feature related to a spatial color property of a still image and an image search method for searching an image using a multilevel image grid data structure.

10

### 2. Description of the Background Art

In a conventional image search method, a feature such as a color, shape, texture, etc. is expressed in an image grid data structure of one level, and a similarity between different image data of the same structure is searched using an image grid data of one level for thereby searching the image.

15

When searching an image in accordance with a conventional image search method, the importance of each feature is different in accordance with the characteristics of an image which will be searched. In addition, even with respect to only one feature, the importance is different for each cell in the conventional image grid data structure. For example, in the image search method using a color histogram, which is formed in a n-dimensional structure, a weight value reflecting the importance of each element can be determined as a different value for each element forming the n-dimensional structure.

20

25

Namely, in the conventional image search method using an image data structure of one level, the importance between features is expressed based on the corresponding grid. In this case, however, the importance for each element of a certain feature is not considered. In order to resolve this problem, another conventional image search method adopts a method for computing an average importance of the elements in a certain feature.

However, in the above-described conventional image search method, the average importance for elements of a certain feature is not useful, i.e., a pre-determination of an average value for elements of a certain feature is not useful in image search since the importance of each element carries by a reference image of target image.

In addition, since the conventional image grid data structure is formed of only one level, the destination contained in an image (or target image) is not accurately searched in the conventional image search method.

## SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a data structure in which each level is expressed by the cells of a hierarchical structure of different levels by expressing one feature based on a multilevel image grid, and expressing a region representative color of each cell and a reliability with respect to the region representative color.

It is another object of the present invention to provide an image search method capable of matching between cells of the same level of two image grids, different levels of grids, and color regions to perform a color similarity retrieval with respect to

multilevel image grids corresponding to different images.

To achieve the above objects, there is provided a multilevel image data structure according to the present invention in which a spatial color feature of one image is expressed in a hierarchical image grid structure having more than two different levels.

To achieve the above objects, there is provided an image search method using a multilevel image data structure according to the present invention in which the color similarities of a spatial color feature of a reference image divided into different hierarchical image grid levels and a target image are matched, so that an image is searched in accordance with user's content-based query.

Additional advantages, objects and features of the invention will become more apparent from the description which follows.

## BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become more fully understood from the detailed description given hereinbelow and the accompanying drawings which are given by way of illustration only, and thus are not limitative of the present invention, and wherein:

Figure 1 is a view illustrating an embodiment of a multilevel image grid data structure and a 3-level image grid data structure according to the present invention;

Figure 2 is a view illustrating an image search method using a multilevel image grid data structure and the construction of a match between 3-level image grid data structures according to the present invention;

Figure 3 is a view illustrating an embodiment of an image search method using

a multilevel image grid data structure and the construction of a match between the same levels in a 3-level image grid data structure according to the present invention;

Figure 4 is a view illustrating an embodiment of an image search method using a multilevel image grid data structure and the construction of a match between different levels of a 3-level image grid data structure according to the present invention; and

Figures 5A and 5B are views illustrating an embodiment of an image search method using a multilevel image grid data structure according to the present invention, of which Figure 5A is a view illustrating two same image grid data structures, and Figure 5B is a view illustrating a process of a match of two image grid data structures.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention relates to a multilevel image grid data structure and an image search method using the same. The method for generating a multilevel image grid data structure according to the present invention will be explained.

In the case of square image, it is uniformly divided by height and width, and in the case of a non-square image, one side is uniformly divided in accordance with an aspect ratio of a width and height of an image, and the other side is uniformly divided by the unit of one side. Namely, a regular square structure having the same length of horizontal and vertical sides is divided by the same unit, and in the case of a rectangular structure having different lengths of horizontal and vertical sides, one side(for example, a lengthy side) is uniformly divided, and the other side(for example, a shorter side) is divided by the dividing unit of one side.

Therefore similarly as above, in one image data structure, the spatial color

feature is divided into hierarchical grids of different levels for thereby expressing a structure of a multilevel image grid.

At this time, each image grid is a hierarchical structure of different levels, and the resolution of each level is hierarchically divided. The cell of each grid is assigned with two values which are a regional representative color (RRC) and a reliability score (S) relating to an accuracy of the regional representative color.

Figure 1 illustrates an embodiment of a multilevel image grid data structure and a 3-level image grid data structure according to the present invention. Namely, one image is expressed in an image grid level of a first level, second level, and third level.

In the resolution of the 3-level image grid data structure, the first level image grid is the lowest, the second level image grid is an intermediate level, and the third level image grid is higher than the second level image grid in accordance with the divided levels.

The first level image grid is divided into the image region including a  $M1 \times N1$  number of local cells in proportion to the aspect ratio of a vertical side  $M$  and a horizontal side  $N$ . Each cell is expressed as a region representative color(RRC) which represents each region, and a reliability score(S) which corresponds to the accuracy of the representative color value.

In addition, the second level image grid and the third level image grid are divided into the image regions including a  $M2 \times N2$  number and  $M3 \times N3$  number of local cells in accordance with the dividing state, and each cell has a region representative color(RRC) and a reliability score(S).

For example, when the maximum vertical length  $M$  of the first level image grid and the horizontal length  $N$  are  $8(=8 \times 8)$ , the maximum vertical length  $M2$  of the second level image grid and the horizontal length  $N2$  are  $16(=16 \times 16)$ , and the

maximum horizontal length M3 of the third level image grid and the vertical length N3 are 32(=32x32) of the local cells.

Here, a certain cell Cell(i,j) of the third level image grid is expressed as a region representative color and a reliability score  $C_{ij}^3$ ,  $S_{ij}^3$ .

At this time, the number of divisions of each of the image levels of 1st level, second level and third level is determined based on an aspect ratio of the image for accurately expressing the position of the object included in the image. Namely, in the case of the lengthy side, the lengthy side is uniformly divided, and the short side is divided by the divided unit of the lengthy side.

In another method for generating the grid of the image, to increase processing speed and to consider approximate positional information of the object included in the image, the vertical and horizontal lengths may set identically.

The image search method using the multilevel image grid data structure will be explained.

Different images divided into the multilevel image grids are expressed as a representative region color(RRC) which represents the region and a reliability score which expresses an accuracy of the representative color, and a pair of representative region color and reliability are matched to another one, and a cell similarity is computed in accordance with the content-based query of a user for thereby performing an image search.

The color similarity between two images is computed using the multilevel image grid data structure by comparing the cells included in an image grid of each level and the region color(RRC) representing each cell. Namely, the color similarity between two cells is computed using the color similarities Color\_Sim(RRC\_C1, RRC\_C2) which represent the similarity of a region representative color value

between the cell C1 and Cell C2.

The first weight ( $\alpha$ ) is multiplied by the color similarities  $\text{Color\_Sim}(\text{RRC\_C1}, \text{RRC\_C2})$ , and a result of the multiplication of the color similarities  $\text{Color\_Sim}(\text{RRC\_C1}, \text{RRC\_C2})$  and the second weight ( $\beta$ ) and the similarity I with respect to a reliability between two cells is summed by the result obtained by multiplying the color similarity and the first weight. The thusly summed value is divided by the first weight and second weight and then is normalized, so that the cell similarity  $\text{Cell\_Sim}(\text{C1}, \text{C2})$  of two cells C1, C2 is obtained. The above-described operation may be expressed as follows.

$$\text{Cell\_Sim}(C1, C2) = \frac{(\alpha + \beta \times I) \times \text{Color\_Sim}(\text{PRC\_C1}, \text{PRC\_C2})}{(\alpha + \beta)} \quad \text{----- (1)}$$

Here, the similarity I of the reliability(S1, S2) between two cells is obtained based on  $I = 1 - |S1 - S2|$ .

Therefore, the cell similarities between two different multilevel image grid are matched with respect to the portions between the same levels of the multilevel image and the different levels, and a feature between the images is compared.

Figure 2 illustrates an embodiment of the image search using a multilevel image grid data structure according to the present invention and a similarity-based search between the grids of two images  $I_1$  and  $I_2$  having a 3-level image grid data structure.

Two images  $I_1$  and  $I_2$  include first level image grids  $G_{1\_1st}$ ,  $G_{2\_1st}$ , second level image grids  $G_{1\_2nd}$ ,  $G_{2\_2nd}$ , and third level image grids  $G_{1\_3rd}$ ,  $G_{2\_3rd}$ .



The similarities  $\text{Grid\_Sim}(G_1, G_2)$  between grid levels included in two images are compared between the levels. The above-describe operation may be expressed as follows.

$$\begin{aligned}
 \text{Grid\_Sim}(G_1, G_2) = & w_1 \times \text{Sim\_of\_the\_Exact}_{G1\_1st\_and\_G2\_1st} \\
 & + w_2 \times \text{Sim\_of\_the\_Exact}_{G1\_2nd\_and\_G2\_2nd} \\
 & + w_3 \times \text{Sim\_of\_the\_Exact}_{G1\_3rd\_and\_G2\_3rd} \\
 & + w_4 \times \text{Sim\_of\_the\_Inter}_{G1\_1st\_and\_G2\_2nd} \\
 & + w_5 \times \text{Sim\_of\_the\_Inter}_{G1\_2nd\_and\_G2\_3rd} \\
 & + w_6 \times \text{Sim\_of\_the\_Inter}_{G1\_3rd\_and\_G2\_1st} \\
 & + w_7 \times \text{Sim\_of\_the\_Inter}_{G1\_1st\_and\_G2\_3rd} \\
 & + w_8 \times \text{Sim\_of\_the\_Inter}_{G1\_2nd\_and\_G2\_1st} \\
 & + w_9 \times \text{Sim\_of\_the\_Inter}_{G1\_3rd\_and\_G2\_2nd}
 \end{aligned} \tag{2}$$

where  $w_1$  through  $w_9$  represent weights with respect to the respective color similarity, and  $\text{Sim\_of\_the\_Exact}$  represents a similarity between the same image grid levels with respect to two images  $I_1$ ,  $I_2$ , and  $\text{Sim\_of\_the\_Inter}$  represents a similarity between different image grid levels with respect to two images  $I_1$ ,  $I_2$ .

Namely, the similarity  $\text{Sim\_of\_the\_Exact}$  between the same image grid levels included in two different images  $I_1$  and  $I_2$  is obtained based on the match as shown in Figure 3. In addition, the similarity  $\text{Sim\_of\_the\_Inter}$  between different image grid levels included in two different images  $I_1$  and  $I_2$  is obtained based on the match as shown in Figure 4.

The above-described operation will be explained in more detail with reference

to Figures 5A and 5B.

The similarities of two cells corresponding to the same levels of two different images are summed, and the similarities of two cells are summed to the thusly summed value by shifting in the horizontal and vertical directions by the aspect ratio.

At this time, the number of the matches of two grids is computed by adding 1 to the absolute value of the difference of the aspect ratio of a certain level of two images.

For example, as shown in Figure 5A, assuming that the number of the grids of the aspect ratio of the image  $I_1$  is  $M \times N$ , and the number of the grids of the aspect ratio of the image  $I_2$  is  $O \times P$ , the total number of matches between two grids is  $(|M-O|+1) \times (|N-P|+1)$ .

The similarity between two cells corresponding to the same grid levels  $\text{Max}(M,N)=\text{Max}(O,P)$  is calculated by matching two grids based on different shift amount in accordance with the aspect ratio of two grids.

At this time, the similarity  $\text{Sim\_of\_the\_Exact}$  based on the match between the same levels of two images  $I_1$  and  $I_2$  is obtained based on the following Equations 3-1, 3-2.

$$\text{Sim\_of\_the\_Exact} = \text{Max}(\text{Sim\_bet\_two\_levels\_given\_cell\_corres } S(i, j)) \quad \text{-----(3-1)}$$

$$V_i, 0 \leq i \leq |M-O|$$

$$V_j, 0 \leq j \leq |N-P|$$

$$\begin{aligned} & \text{Sim\_bet\_two\_levels\_given\_cell\_corres } S(i, j) \\ &= \frac{\sum_{y=0}^{\text{Min}|N-P|-1} \left( \sum_{x=0}^{\text{Min}|M-O|-1} \text{Sim\_of\_corres\_two\_cells}(x, y, i, j) \right)}{\text{Min}(N, P) \times \text{Min}(M, O)} \quad \text{-----(3-2)} \end{aligned}$$

When matching the similarity (Sim\_of\_the\_Exact) between the same levels,

the above-described equation  $\sum_{y=0}^{Min(|N-P|-1)} ( \sum_{x=0}^{Min(|M-O|-1)} Sim\_of\_corres\_two\_cells )$  represents

a sum of the matching with respect to the horizontal and vertical sides of two corresponding cells

The similarity Sim\_of\_corres\_two\_cells between two cells is obtained by adapting Equation 404 to Equation 4-1 based on the aspect ratios M:N, O:P.

$$Sim(cell^{G1}(x+i, y+j), cell^{G2}(x, y)), \quad if (Min(N, P) = P) \cap (Min(M, O) = O) \quad ----(4-1)$$

$$Sim(cell^{G1}(x+i, y), cell^{G2}(x, y+j)), \quad if (Min(N, P) = N) \cap (Min(M, O) = O) \quad ----(4-2)$$

$$Sim(cell^{G1}(x, y+i), cell^{G2}(x+i, y)), \quad if (Min(N, P) = P) \cap (Min(M, O) = M) \quad ----(4-3)$$

$$Sim(cell^{G1}(x, y), cell^{G2}(x+i, y+j)), \quad if (Min(N, P) = N) \cap (Min(M, O) = M) \quad ----(4-4)$$

Here, Equation 4-1 is applied when P is less than N and M is less than O and Equation 4-2 is applied when the length N of the grid G<sub>1</sub> is shorter than length P of grid G<sub>2</sub> and the width O of the grid G<sub>2</sub> is shorter than width M of the grid G<sub>1</sub>. In

addition, Equation 4-3 is applied when the vertical length  $P$  of the grid  $G_2$  is shorter than  $N$  of grid  $G_1$  and the horizontal length  $M$  of the grid  $G_1$  is shorter than  $O$  of  $G_2$ , and Equation 4-4 is applied when  $N$  of  $G_1$  is shorter than  $P$  of  $G_2$  and  $M$  is shorter than  $O$ .

At this time, the shift amount  $(i,j)$  with respect to the length difference  $(|M-O|, |N-P|)$  between the length of the grid  $G_1$  and the grid  $G_2$  is added to the cell coordinate  $(x, y)$ , and each of start point  $(i,i,x,y)$  becomes 0.

The similarity  $\text{Sim\_of\_the\_Inter}$  between different grid levels( $\text{Max}(M,N) \neq \text{Max}(O,P)$ ) is calculated by matching two different image grid levels. This operation is performed similarly as the search of the grid level similarity  $\text{Sim\_of\_the\_Exact}$ .

In addition, the number of the matches of the image grids between different image grid levels is obtained based on  $(|M-O|+1) \times (|N-P|+1)$ .

The color region matching operation is performed for searching the region in which the representative color values are similar between the multilevel image grids. The search is performed based on a method for searching the color similarity from a translation position and a relative position between the grid level(Exact scale matching) of the same size, and a method for searching the color similarity from a translation position and the relative position between the grid levels(Inter-scale matching) of different sizes.

Namely, the color region matching operation between the image grid levels(Exact scale matching) of the same size is performed based on a method for searching a color region of the same levels from a target image. The position is matched with the relative position based on the same image grid level of the target image, and then the similarity of the color region is computed, and the position is matched with a translation position at the same level of the target image for thereby

computing a similarity of the color region.

The color region matching operation between the different image grid levels(Inter-scale matching) is performed based on a method for searching the different level color regions among the target images, and a similarity of the color region of the same level is computed among the different image grid levels of the target image.

In the color region matching method of between different image grid levels, the similarity of the color region is computed by matching the position with the same position among the different image grid levels of the target image, and the similarity of the color region is computed by matching the position with the translation position at another level of the target image.

As described above, in the present invention, one image grid data structure is divided into multilevel grid data structures. Therefore, it is possible to effectively response with respect to a subjective query by a user when searching a content-based image using the divided multilevel grid structures. In addition, an image search speed is fast and accurate under a certain condition.

Although the preferred embodiment of the present invention have been disclosed for illustrative purposes, those skilled in the art will appreciate that various modifications, additions and substitutions are possible, without departing from the scope and spirit of the invention as recited in the accompanying claims.

What is claimed is:

1. A multilevel image data structure which is characterized in that an image frame including features of the image is expressed based on an image grid having at least two different hierarchical levels.

2. The structure of claim 1, wherein said hierarchical level image grid includes cells and is hierarchically divided, and each cell is assigned with the representative color and reliability wherein the representative color represents a color feature of the region corresponding to the cell and the reliability of the represent color.

3. The structure of claim 1, wherein said hierarchical level of the image grid uniformly divides with the same number for width and height in the case that an original image has the same width and height.

4. The structure of claim 1, wherein in said hierarchical level of the image grid, in the case that an original image has different size for width and height, one side is uniformly divided, and the other side is divided based on the dividing unit of the one side.

5. An image search method using a multilevel image data structure, comprising the steps of:

matching a spatial color feature of a reference image and target image, which are represented to different hierarchical image grid levels; and

searching images based on a content-based query by a user.

6. The method of claim 5, wherein said color similarity between two images having different hierarchical grid levels is obtained by matching each cell included in two different image grids and based on a similarity between the representative color values having a spatial color feature.

7. The method of claim 5, wherein said color similarity between two images having different hierarchical grids is obtained by matching two image grids, performing a multi-cross in accordance with a spacious color feature between images and comparing a color similarities.

8. The method of claim 5, wherein a color similarity between two images having different hierarchical grids is obtained by matching each region representative color value for thereby searching the similar regions.

9. The method of claim 5, wherein a cell similarity between cells included in the image grid having different hierarchical levels is obtained by multiplying the color similarity (Color\_Sim) corresponding to a similarity of the region representative colors between two cells and the first weight, adding a value obtained by multiplying the similarity(I) representing a similarity of a reliability between two cells and a second weight to the color similarity (Color\_Sim), and normalizing the similarity.

10. The method of claim 5, wherein said color similarity between the two same level grids is obtained based on the total value summed by shifting in a horizontal and vertical direction based on the shifting amount by the difference of the widths and heights between grids when two grids are compared and the similarity is

calculated.

11. The method of claim 5, wherein a color similarity between the two different grids is obtained based on a value summed shifting in a horizontal and vertical direction by the difference of the width and heights between the grids.

12. The method of claim 5, wherein a cell similarity between image grids having a multilevel is used for searching the same position and different position between the same levels between the images in the case that the search is performed by matching the color region.

13. The method of claim 5, wherein a color region matching operation between two image grids having a multilevel is directed to searching at the same position of different levels and at different position when searching the color similarity between different levels.



## ABSTRACT OF THE DISCLOSURE

The present invention relates to an image search method capable of expressing one color feature related to a spatial color feature of a still image based on a multilevel image grid and similarity-based searching images using the thusly expressed multilevel image grid. In the present invention, hierarchical grids of different levels are generated with respect to one feature for thereby obtaining a data structure in which each cell corresponding to the grid is expressed based on a reliability on a region representative color and the region representative color, so that it is possible to fast and accurately search images with respect to a user's content-based query based on a cell matching of the same level as two image grids and different levels or a color local matching of the grid match.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A





FIG. 5B



Docket No.: \_\_\_\_\_

## DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter claimed and for which a patent is sought on the invention entitled MULTILEVEL IMAGE GRID DATA STRUCTURE AND IMAGE SEARCH METHOD USING THE SAME, the specification of which

[ ☒ ] is attached hereto [ ☐ ] was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is known to me to be material to patentability in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365 (b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

<b>Prior Foreign Application(s):</b>	<b>Country</b>	<b>Foreign Filing Date</b> <b>Month/Day/Year</b>
3184/1999	Korea	02/01/1999

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

<b>Application Number(s):</b>	<b>Filing Date (Month/Day/Year)</b>

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

<b>Prior U. S. Application</b> <b>or PCT Parent Number</b>	<b>Filing Date (Month/Day/Year)</b>	<b>Parent Patent Number (if applicable)</b>

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.


I hereby appoint the following attorney(s) and/or agent(s): Daniel Y.J. Kim, Registration No. 36,186 and Mark L. Fleshner, Registration No. 34,596; Carl R. Wesolowski, Registration No. 40,372, John C. Eisenhart, Registration No. 38,128, Rene A. Vazquez, Registration No. 38,647; Michael J. Cornelison, Registration No. 40,395; and Stuart I. Smith, Registration No. 42,159; and Carol L. Druzbeck, Registration No. 40,287, all of

FLESHNER & KIM  
P. O. Box 221200  
Chantilly, Virginia 20153-1200

with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and all future correspondence should be addressed to them.

\*\*\*\*\*

Full name of sole or first inventor: Hyeon Jun KIM

Inventor's signature: 

Date: 2001 1-24


Residence: Sunnam, Korea

Citizenship: Republic of Korea

Post Office Address: Hansin Life Apt. 109-302, Bundang-Dong, Bundang-Ku, Sunnam,  
Kyungki-Do, Korea

\*\*\*\*\*

Full name of joint inventor(s): Sung Bae JUN

Inventor's signature: 

Date: 2000 1.24


Residence: Seoul, Korea

Citizenship: Republic of Korea

Post Office Address: 804, Siheung 4Dong, Siheung, Kunchun-Ku, Seoul, Korea

\*\*\*\*\*

Full name of joint inventor(s): Jin Soo LEE

Inventor's signature: 

Date: 2000 1.24

Residence: Seoul, Korea

Citizenship: Republic of Korea

Post Office Address: Samik Apt. 101-804, 573, Machun 2Dong, Songpa-Ku, Seoul, Korea

\*\*\*\*\*

Full name of joint inventor(s):

Inventor's signature:

Date:

Residence:

Citizenship:

Post Office Address:

\*\*\*\*\*

Full name of joint inventor(s):

Inventor's signature:

Date:

Residence:

Citizenship:

Post Office Address: